



CARTER
STOCKFEEDS

BYPASS DRYLICK

BYPASS DRYLICK is a low cost drylick for sheep and cattle on a low quality, roughage diet. Plenty of roughage is essential.

INGREDIENTS

Vegetable protein meals, lime, salt, sulphate of ammonia, urea, vitamin and mineral premix vegetable oils



ANALYSIS

Crude Protein	16%Min
NPN Protein Equivalent	32%Min
Protein Equivalent.....	TOTAL 48%
Crude Fibre.....	9%
Metabolisable Energy	(Mj/Kg) 3
Urea	10%Max
Sulphate of Ammonia	8%Max
Salt	22%Max

Suitable for all classes of **sheep and cattle**.

PLANNED SUPPLEMENT INTAKE

	Cattle	Sheep
Initial period	50-70g/hd/day	8-12g/hd/day
On full urea	100-150g/hd/day	15-25g/hd/day

FEEDING BYPASS DRYLICK

Cattle

Cut a 200 litre drum in half between the 2 rings to form a vertical sided tub. This way if it happens to rain on the supplement the drum will only catch what falls directly in to it, unlike a trough which has a funnelling effect.

The half drum should be adequate for approximately 40 adult cows. Adequate number of drums is critical for the distribution of supplement throughout the herd. It is very important to regularly measure the intake of the supplement across the herd.

Sheep

Cut out one side of a square plastic drum and lay over. This way if it happens to rain on the supplement the drum will only catch what falls directly in to it, unlike a trough which has a funnelling effect. The drum should be adequate for approximately 40 adult sheep.

RULES FOR USING BYPASS DRYLICK

Urea is toxic if...

- The rumen is not adjusted.
- It is not fed CONSTANTLY.
- It becomes liquefied in a trough or block

Therefore...

1. Start urea intake slowly.
2. Maintain access to the supplement 100% of the time
3. Use drums for BYPASS DRYLICK as explained in the above suggested feeding method.
4. There should be adequate drums available for the number of animals.
5. **Remove any salt cravings before feeding BYPASS DRYLICK.**

Salt may act either as an intake inhibitor or an attractant. It is important to know which it is before starting BYPASS DRYLICK. Feed out some straight salt to start with to test the animals reaction. If they really get into the salt, continue until salt cravings are reduced.

Ingredients

VEGETABLE MEALS
LIME
SALT
SULPHATE OF AMMONIA
VITAMIN & MINERAL PREMIX
UREA

Typical Analysis

DENSITY.....	M3.....	0.70665
ME RUMINANTS.....	ME/Kg.....	6.576
NPN.....		32.41%
CRUDE PROTEIN.....		51.99%
CRUDE FAT.....		3.78%
CRUDE FIBRE.....		7.02%
DRY MATTER.....		92.48%
ASH.....		16.02%
CALCIUM.....		4.75%
UREA.....		8.00%
PHOSPHEROUS.....		0.60%
SALT.....		16.00%
TDN.....		42.12%
VITAMIN A.....	(miu).....	25
VITAMIN D3.....	(miu).....	2.5
VITAMIN E.....	U.....	20000
MOLYBDENUM.....		0.25%
MANGANESE.....	Mg/Kg.....	125
MAGNESIUM.....		0.36%
ZINC.....	Mg/Kg.....	59
COBALT.....	Mg/Kg.....	0.55
COPPER.....	Mg/Kg.....	25
IRON.....	Mg/Kg.....	107.42
IODINE.....		0.6
SELENIUM.....		0.5
SODIUM.....		5.47
CHLORINE.....		8.55%
SULPHUR.....		0.26%
POTASSIUM.....		0.96%

**DOES NOT CONTAIN RESTRICTED ANIMAL MATERIAL
DO NOT FEED TO NON RUMINANT ANIMALS**

Carter Stockfeed Pty Ltd

283 Baradine Road, Baradine NSW 2396

0438 024 945

sales@carterstockfeeds.com.au